

# **Water Quality Association**

## **Gold Seal Certificate**

### **Watts Water Quality & Conditioning Products**

13700 Highway 90 West  
San Antonio, Texas United States

Facility: Watts Water Quality & Conditioning Products (TX)

Certification Date: September 01, 2016

Authorized By: Tom Spoden

Tom Spoden  
Director of Product Certification

**Water Quality Association**  
**4151 Naperville Road**  
**Lisle, IL 60532, USA**



ID #0633



Revision: 11/05/2015

FORM.12046

This Certificate, or any part thereof, may not be used in a misleading manner and validation of its use is contingent upon the Official WQA web -listing.

# Water Quality Association Official Gold Seal Listing

Granted to the following company:

Watts Water Quality & Conditioning Products  
13700 Highway 90 West  
San Antonio, Texas 78245 United States

For the Facility Located at:

Watts Water Quality & Conditioning Products (TX)  
13700 Highway 90 West  
San Antonio, TX 78245 United States

The WQA Gold Seal Certification Department has issued certification for the following model(s) to the standard(s) below. Only models that appear in the official listing are authorized to bear the WQA Gold Seal.

**NSF/ANSI 42 (10/16/2014): Drinking Water Treatment Units, Aesthetic Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

ScaleNet	Hydro-Safe Brew Max-S2	Hydro-Safe Brew Max-S2L
Hydro-Safe Cold Bev Max-S1BBL	Hydro-Safe Cold Bev Max-S2	Hydro-Safe Cold Bev Max-S2BBL
Hydro-Safe Cold Bev Max-S2L	Hydro-Safe Cold Bev Max-S3BBL	Hydro-Safe Cold Bev Max-S3L
Hydro-Safe Cube Max-CP1	Hydro-Safe Cube Max-CP1BBL	Hydro-Safe Cube Max-CP1L
Hydro-Safe Cube Max-S2	Hydro-Safe Cube Max-S2BBL	Hydro-Safe Cube Max-S2L
Hydro-Safe Cube Max-S3	Hydro-Safe Cube Max-S3BBL	Hydro-Safe Cube Max-S3L
Hydro-Safe Cube Max-S3L+	Hydro-Safe Espresso Max-S2	Hydro-Safe Espresso Max-S2L
Hydro-Safe Steam Max-S1	Hydro-Safe Steam Max-S1BBL	Hydro-Safe Steam Max-S1BBLHF
Hydro-Safe Steam Max-S1L	Hydro-Safe Steam Max-S3	Hydro-Safe Steam Max-S3 Lime Scale
Hydro-Safe Steam Max-S3L Lime Scale	Hydro-Safe Steam Max-S3L+	Hydro-Safe Steam Max-S3L+ Lime Scale
Kwik Change Filter WQCFU-11T		

**NSF/ANSI 53 (04/01/2012): Drinking Water Treatment Units - Health Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

Kwik Change Filter WQCFU-11T

**NSF/ANSI 58 (04/17/2014): Reverse Osmosis Drinking Water Treatment Systems\* is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

Kwik Change WQC4RO11-50MT

Kwik Change WQC4RO13-100PT

Kwik Change WQC4RO11-50PT

Kwik Change WQC4RO13-100MT

**NSF/ANSI 61 (03/05/2012): Drinking Water System Components - Health Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water System Component Scheme**

ScaleNet

ScaleNet M8409-COM

ScaleNet M8414-COM

ScaleNet M8407-COM

ScaleNet M8410-COM

ScaleNet M8416-COM

ScaleNet M8408-COM

ScaleNet M8412-COM

**NSF/ANSI 372 (07/31/2011) (Previously WQA ORD0902, NSF/ANSI 61, Annex G, California AB 1953) is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water System Components – Lead Content Scheme**

Hydro-Safe Brew Max-S2	Hydro-Safe Brew Max-S2L	Hydro-Safe Cold Bev Max-S1BBL
Hydro-Safe Cold Bev Max-S2	Hydro-Safe Cold Bev Max-S2BBL	Hydro-Safe Cold Bev Max-S2L
Hydro-Safe Cold Bev Max-S3BBL	Hydro-Safe Cold Bev Max-S3L	Hydro-Safe Cube Max-CP1
Hydro-Safe Cube Max-CP1BBL	Hydro-Safe Cube Max-CP1L	Hydro-Safe Cube Max-S2
Hydro-Safe Cube Max-S2BBL	Hydro-Safe Cube Max-S2L	Hydro-Safe Cube Max-S3
Hydro-Safe Cube Max-S3BBL	Hydro-Safe Cube Max-S3L	Hydro-Safe Cube Max-S3L+
Hydro-Safe Espresso Max-S2	Hydro-Safe Espresso Max-S2L	Hydro-Safe Steam Max-S3
Hydro-Safe Steam Max-S3 Lime Scale	Hydro-Safe Steam Max-S3L Lime Scale	Hydro-Safe Steam Max-S3L+
Hydro-Safe Steam Max-S3L+ Lime Scale	ScaleNet M8407-COM	ScaleNet M8408-COM
ScaleNet M8409-COM	ScaleNet M8410-COM	ScaleNet M8412-COM
ScaleNet M8414-COM	ScaleNet M8416-COM	SmartStream UV WB001vxyz
SmartStream UV WB002vxyz	SmartStream UV WB006vxyz	SmartStream UV WB008vxyz
SmartStream UV WB012vxyz	SmartStream UV WC012vxyz	SmartStream UV WC016vxyz
SmartStream UV WC020vxyz	SmartStream UV WC025vxyz	SmartStream UV WC040vxyz
SmartStream UV WC050vxyz	SmartStream UV WD012vxyz	SmartStream UV WD016vxyz
SmartStream UV WD020vxyz	SmartStream UV WD025vxyz	SmartStream UV WD040vxyz
SmartStream UV WD050vxyz		

Notice: To request any changes to the certified model(s), please request a Change to Certified Product (CCP) form. Examples include any change to the wetted parts or formulations such as supplier or material types, literature, or a change in company name. This list is not all inclusive. Failure to submit documentation regarding changes may result in non-compliance with the standard(s) as well as de-listing of the affected models.

# Water Quality Association Official Gold Seal Listing

Granted to the following company:

Watts Water Quality & Conditioning Products  
13700 Highway 90 West  
San Antonio, Texas 78245 United States

For the Facility Located at:

Watts Water Quality & Conditioning Products (TX)  
13700 Highway 90 West  
San Antonio, TX 78245 United States

The WQA Gold Seal Certification Department has issued certification for the following model(s) to the standard(s) below. Only models that appear in the official listing are authorized to bear the WQA Gold Seal.

**NSF/ANSI 42 (10/16/2014): Drinking Water Treatment Units, Aesthetic Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

ScaleNet	Hydro-Safe Brew Max-S2	Hydro-Safe Brew Max-S2L
Hydro-Safe Cold Bev Max-S1BBL	Hydro-Safe Cold Bev Max-S2	Hydro-Safe Cold Bev Max-S2BBL
Hydro-Safe Cold Bev Max-S2L	Hydro-Safe Cold Bev Max-S3BBL	Hydro-Safe Cold Bev Max-S3L
Hydro-Safe Cube Max-CP1	Hydro-Safe Cube Max-CP1BBL	Hydro-Safe Cube Max-CP1L
Hydro-Safe Cube Max-S2	Hydro-Safe Cube Max-S2BBL	Hydro-Safe Cube Max-S2L
Hydro-Safe Cube Max-S3	Hydro-Safe Cube Max-S3BBL	Hydro-Safe Cube Max-S3L
Hydro-Safe Cube Max-S3L+	Hydro-Safe Espresso Max-S2	Hydro-Safe Espresso Max-S2L
Hydro-Safe Steam Max-S1	Hydro-Safe Steam Max-S1BBL	Hydro-Safe Steam Max-S1BBLHF
Hydro-Safe Steam Max-S1L	Hydro-Safe Steam Max-S3	Hydro-Safe Steam Max-S3 Lime Scale
Hydro-Safe Steam Max-S3L Lime Scale	Hydro-Safe Steam Max-S3L+	Hydro-Safe Steam Max-S3L+ Lime Scale
Kwik Change Filter WQCFU-11T		

**NSF/ANSI 53 (04/01/2012): Drinking Water Treatment Units - Health Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

Kwik Change Filter WQCFU-11T

**NSF/ANSI 58 (04/17/2014): Reverse Osmosis Drinking Water Treatment Systems\* is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water Treatment Units Scheme**

Kwik Change WQC4RO11-50MT

Kwik Change WQC4RO13-100PT

Kwik Change WQC4RO11-50PT

Kwik Change WQC4RO13-100MT

**NSF/ANSI 61 (03/05/2012): Drinking Water System Components - Health Effects is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water System Component Scheme**

ScaleNet

ScaleNet M8409-COM

ScaleNet M8414-COM

ScaleNet M8407-COM

ScaleNet M8410-COM

ScaleNet M8416-COM

ScaleNet M8408-COM

ScaleNet M8412-COM

**NSF/ANSI 372 (07/31/2011) (Previously WQA ORD0902, NSF/ANSI 61, Annex G, California AB 1953) is within WQA's ANSI and SCC approved scope of accreditation under the Drinking Water System Components – Lead Content Scheme**

Hydro-Safe Brew Max-S2	Hydro-Safe Brew Max-S2L	Hydro-Safe Cold Bev Max-S1BBL
Hydro-Safe Cold Bev Max-S2	Hydro-Safe Cold Bev Max-S2BBL	Hydro-Safe Cold Bev Max-S2L
Hydro-Safe Cold Bev Max-S3BBL	Hydro-Safe Cold Bev Max-S3L	Hydro-Safe Cube Max-CP1
Hydro-Safe Cube Max-CP1BBL	Hydro-Safe Cube Max-CP1L	Hydro-Safe Cube Max-S2
Hydro-Safe Cube Max-S2BBL	Hydro-Safe Cube Max-S2L	Hydro-Safe Cube Max-S3
Hydro-Safe Cube Max-S3BBL	Hydro-Safe Cube Max-S3L	Hydro-Safe Cube Max-S3L+
Hydro-Safe Espresso Max-S2	Hydro-Safe Espresso Max-S2L	Hydro-Safe Steam Max-S3
Hydro-Safe Steam Max-S3 Lime Scale	Hydro-Safe Steam Max-S3L Lime Scale	Hydro-Safe Steam Max-S3L+
Hydro-Safe Steam Max-S3L+ Lime Scale	ScaleNet M8407-COM	ScaleNet M8408-COM
ScaleNet M8409-COM	ScaleNet M8410-COM	ScaleNet M8412-COM
ScaleNet M8414-COM	ScaleNet M8416-COM	SmartStream UV WB001vxyz
SmartStream UV WB002vxyz	SmartStream UV WB006vxyz	SmartStream UV WB008vxyz
SmartStream UV WB012vxyz	SmartStream UV WC012vxyz	SmartStream UV WC016vxyz
SmartStream UV WC020vxyz	SmartStream UV WC025vxyz	SmartStream UV WC040vxyz
SmartStream UV WC050vxyz	SmartStream UV WD012vxyz	SmartStream UV WD016vxyz
SmartStream UV WD020vxyz	SmartStream UV WD025vxyz	SmartStream UV WD040vxyz
SmartStream UV WD050vxyz		

Notice: To request any changes to the certified model(s), please request a Change to Certified Product (CCP) form. Examples include any change to the wetted parts or formulations such as supplier or material types, literature, or a change in company name. This list is not all inclusive. Failure to submit documentation regarding changes may result in non-compliance with the standard(s) as well as de-listing of the affected models.